ELSEVIER

Journal of Petroleum Science and Engineering 19 (1998) 309–310

JOURNAL OF PETROLEUM SCIENCE & ENGINEERING

# Contents Volume 19 (1998)

**SPECIAL ISSUE: PROGRESS IN CORE ANALYSIS, edited by P. Forbes**

The status of core analysis
P. Forbes . . . . . 1
A new method for stabilization of friable and unconsolidated core samples at well-site
O. Hjelmeland, B.G. Tjetland, B.A. Ardø, L. Bolle, Å. Scheie and C. Venturini . . . . . 7
A criterion for ordering individuals in a composite core
K. Langaas, S. Ekrann and E. Ebeltoft . . . . . 21
The use of NMR spectroscopy to validate NMR logs from deeply buried reservoir sandstones
H. Rueslåtten, T. Eidesmo, K.A. Lehne and O.M. Relling . . . . . 33
Irreducible fluid saturation determined by pulsed field gradient NMR
M. Appel, F. Stallmach and H. Thomann . . . . . 45
Pore level imaging of fluid transport using synchrotron X-ray microtomography
M.E. Coles, R.D. Hazlett, P. Spanne, W.E. Soll, E.L. Muegge and K.W. Jones . . . . . 55
Fluid distribution in kaolinite- or illite-bearing cores: cryo-SEM observations versus bulk measurements
C. Durand and E. Rosenberg . . . . . 65
Combined resistivity and capillary pressure measurements using micropore membrane technique
M. Fleury and D. Longeron . . . . . 73
Application of composite membranes to determine relative permeabilities from displacement experiments
H.M. Helset, S.M. Skjæveland and G.A. Virnovsky . . . . . 81
Can we really measure the relative permeabilities using the micropore membrane method?
R. Lenormand, P. Delaplace and P. Schmitz . . . . . 93
Capillary end effects in coreflood calculations
D.D. Huang and M.M. Honarpour . . . . . 103
A novel experimental apparatus for determination of three-phase relative permeabilities at reservoir conditions
E. Ebeltoft, J.E. Iversen, K.O. Vatne, M.A. Andersen and J.E. Nordtvedt . . . . . 119
Some practical applications of recent core analysis advances
N.V. Williams . . . . . 133

*Research Papers*
Homogeneous equivalents of naturally fractured porous media for miscible fluid displacements
G. Cokuner and T.C. Hyde . . . . . 145
Effects of connate water on chemical flooding processes in porous media
L. Thibodeau and G.H. Neale . . . . . 159
A new laminar-to-turbulent transition criterion for yield-pseudoplastic fluids
S.E.M. Desouky and M.N. Al-Awad . . . . . 171
Influence of hydrodynamic forces and interfacial momentum transfer on the flow of two immiscible phases
R.G. Bentsen . . . . . 177
Improved oil recovery by application of vibro-energy to waterflooded sandstones
O.L. Kouznetsov, E.M. Simkin, G.V. Chilingar and S.A. Katz . . . . . 191
The Precambrian basement: A major reservoir in the rifted basin, Gulf of Suez
M.G. Salah and A.S. Alsharhan . . . . . 201
Perforation inflow reduces frictional pressure loss in horizontal wellbores
Z. Su and J.S. Gudmundsson . . . . . 223

A method to evaluate reservoirs and estimate saturation by dynamic responses of dual-induction logging tools
J.-h. Zhang, Q. Hu, J. Oyang and C.-z. Lin . . . . . 233
Interpretive processing of a Walkaway VSP: Imaging a North Sea pre-Zechstein reservoir
J.M. Smidt, P. Conn and M. Lappin . . . . . 241
A kinetic study of the reduction of chromium(VI) to chromium(III) by thiourea
T.A. Maxcy, G.P. Willhite, D.W. Green and K. Bowman-James . . . . . 253
Water-soluble hydrophobically associating polymers for improved oil recovery: A literature review
K.C. Taylor and H.A. Nasr-El-Din . . . . . 265
Petroleum characterization from ultrasonic measurement
J.L. Daridon, B. Lagourette, P. Xans and F. Montel . . . . . 281
History effects on oil recovery efficiency
K.M. Furati . . . . . 295